

# PEG<sup>®</sup> SD

The revolution in the field of PV substructure



Reaching the lowest cost of electricity  
with a worldwide patented PV substructure

# IT'S NOT EPC,


The PEG® System is a revolution in the field of substructures for solar power plants with framed modules. The PEG® substructure is a light and efficient system. Substructures of our competitors are heavier and more expensive. Most of them need concrete foundations and heavy machines.

The PEG® system delivers low levelised cost of electricity (LCOE) with a high efficiency of space and a large volume scalability.

The PEG® system significantly reduces both substructure supply and delivery as well as installation costs. Due to the lightweight construction no conventional foundation is needed.

Less material and a simple design lead to reduced labor costs and the phase between planning and commissioning is reduced significantly.


**While standard PEG® system is an east-west oriented system, the modules in the PEG® SD version are aligned conventionally.**



**Rod drilling**



**Low height**




# IT'S EPI

Engineering  
Procurement  
Installation

## Simplicity

- Self stabilizing
- Robust
- Low visual impact


## Efficiency improvement




**1.20 MWp\***  
per **one** 40 ft. container  
for the substructure



**1.15 kWp\***  
per man-hour



**1.3 MWp\***  
per hectare  
(0.53 MWp per acre)



## Cost reduction

The PEG® system was formed with a simple goal in mind: create a power unit to deliver electricity at lowest possible levelized costs of energy (LCOE), with best in class technologies, long-term reliability and large volume scalability.

The PEG® unit significantly reduces both substructure supply and delivery, as well as installation costs.

**-80%**  
machine costs



**-40%**  
logistic costs

**-60%**  
labor costs




\* Figures refer to 380W modules and may differ regionally .



## Easy work on the hillside

- Up to 16 degrees slope inclination
- Light components are easy to transport on off-road terrain at the hill
- Also perfect for steep slope, if no heavy equipment is allowed



Detailed information about the approved module types can be found in the FAQ list.

PEG<sup>®</sup> – The revolution in the field of PV substructure

**Jurchen Technology GmbH**  
Prinz-Ludwig-Straße 5  
97264 Helmstadt  
GERMANY

Phone: +49 (9369) 98229-6600  
Fax: +49 (9369) 98229-6699  
E-Mail: [info@jurchen-technology.com](mailto:info@jurchen-technology.com)  
[www.jurchen-technology.com](http://www.jurchen-technology.com)